





HEATING & AIR TREATMENT

Catalogue 2024






Your Home Comfort since 1956

Olimpia Splendid is an Italian company that - for almost 70 years - has been designing, producing and marketing technologies for conditioning, heating and treating the air in the home.

Ensuring the best home comfort, at all times of the year and for all our customers around the world, is our goal. Taking care of the climate in the home, while respecting that of the Planet is how we have chosen to achieve this. For this reason, we create innovative products with a high aesthetic finish, efficient and with reduced environmental impact: solutions for more sustainable comfort.

Our Home is the Planet

Olimpia Splendid's commitment to sustainability is built around 5 key points, which are inspired by the objectives defined by the UN in the 2030 Agenda for Sustainable Development: a program of actions for people, the planet and prosperity. From 2021, Olimpia Splendid's results are monitored and published through the annual Sustainability Report.



Innovative and inclusive solutions

Our strategy for sustainable economic growth is based on innovation and diversification. There are 12 technological patents currently active, created to overcome the limits of traditional solutions and to make climate comfort a right within everyone's reach.



Carbon neutral processes

To efficiently use industrial resources, we have set ourselves the goal of reducing our direct and indirect greenhouse gas emissions by 50% by 2030 and of achieving complete climate neutrality by 2040.







Efficient technologies

Researching and developing new heat pump comfort systems is our direct contribution to creating sustainable cities and communities, where domestic consumption is decarbonised and the available electricity is used wisely.

Products that are durable and can be regenerated

For an eco-compatible waste management, we select components and materials based on their recyclability and repairability, we guarantee spare parts for a minimum of 15 years and we encourage the recovery and disposal of end-of-life products through the most virtuous consortia.

Shared responsibility

The fight against climate change must be objective and a shared responsibility. This is why we are personally committed to effectively informing our consumers and to promoting sustainable behaviour in the use of our products.



Made in Italy around the world

Every Olimpia Splendid product is born in the Brescia headquarters, where the R&D centre designs and develops solutions capable of standing out for their innovation, aesthetic finish and sustainability, following the LCA (Life Cycle Assessment) principles. The core technologies are created in our Italian production pavilion, 100% powered by renewable electricity and designed as a highly productive Smart Factory. From Italy, the Olimpia Splendid brand comfort then reaches over 45 countries around the world, through 5 direct commercial branches and a widespread network of distributors.

FRANCE

Parigi Commercial subsidiary







ONLINE SERVICE

Download Area

All of the documentation necessary for installation and operation of our machines can be found in the download section of our website www.olimpiasplendid.com. Here, you will find templates and installation manuals, and also energy labels and product catalogues.







OS Home





The technology that connects Olimpia Splendid products to smartphones and voice control. For more user-friendly comfort control.

Smartphone and tablet

Olimpia Splendid products with built-in **Wi-Fi** can also be managed remotely, both in and out of the home, thanks to the internet connection on your smartphone or tablet. To activate them and configure the main functions, just **download the OS Home mobile app** which is compatible with iOS and Android devices.

Voice control

The new Olimpia Splendid Wi-Fi technology allows you to connect some of the products to the main **voice control** systems as well. The OS Home compatible actions and skills are available for download on the relevant stores.

OS Home is available for:

- Caldo Sky G Wifi (99265) and Caldo Sky B Wifi (99264) fan heaters
- Caleo Glass Wifi (99238) convector
- Aquaria S1 20 P (02064) and Aquaria S1 24 P (02065) dehumidifiers
- Limpia Hero Wifi (99239) humidifier
- Aura Absolute (99278) air purifiers

Further information about the OS HOME functions and compatibility with mobile devices and voice control systems is available on Olimpiasplendid.com




Table of Contents

14 NEEDLE RESISTANCE FAN HEATERS

- 15 CALDO RADIALE
- 16 CALDO POP
- 17 CALDO RELAX
- 18 CALDO ROCK M
- 19 CALDO ROCK O
- 20 CALDO TEKNO
- 21 CALDOSILENT

23 CERAMIC FAN HEATERS

- 24 CALDO POCKET
- 25 CALDODESIGN
- 26 CALDO CUBIC
- 27 CALDO TRENDY
- 28 CALDO TRENDY ST
- 29 CALDO TRENDY T
- 30 CALDO SKY
- 31 CALDO UP T

35 CONVECTORS

- 37 CALEO GLASS WIFI
- 38 CALEO METAL
- 39 CALEO 2 T and TT

43 INFRARED HEATERS

- 45 QUARZIA HUMI
- 46 SOLARIA EVO
- 47 SOLARIA CARBON
- 48 CARBON BLACK

51 RADIATORS

- 53 CALDORAD HUMI
- 54 CALDORAD

59 DEHUMIDIFIERS

- 61 AQUARIA ST 10P
- 62 AQUARIA ST 12P
- 63 AQUARIA ST 14P
- 64 AQUARIA ST 16P
- 65 AQUARIA ST 20P
- 66 AQUARIA ST 24P
- 67 SECCOPROF

71 HUMIDIFIERS

- 73 LIMPIA 2
- 74 LIMPIA 4
- 75 LIMPIA HERO WIFI
- 76 LIMPIA 6

79 PURIFIER AND AROMA DIFFUSER

- 80 AURA ABSOLUTE
- 82 ASTOMI SOUND

Alphabetic Index


CALDORAD HUMI



AQUARIA SI 10P	61	CALDOSILENT	
AQUARIA SI 12P	62	CALEO 2 T AND TT	
AQUARIA SI 14P	63	CALEO GLASS WIFI	
AQUARIA SI 16P	64	CALEO METAL	
AQUARIA SI 20P	65	CARBON BLACK	
AQUARIA SI 24P	66	LIMPIA 2	
ASTOMI SOUND	82	LIMPIA 4	
AURA ABSOLUTE	80	LIMPIA 6	
CALDO CUBIC	26	LIMPIA HERO WIFI	
CALDO POCKET	24	QUARZIA HUMI	
CALDO POP	16	SECCOPROF	
CALDO RADIALE	15	SOLARIA CARBON	
CALDO RELAX	17	SOLARIA EVO	
CALDO ROCK M	18		
CALDO ROCK O	19		
CALDO SKY	30		
CALDO TEKNO	20		
CALDO TRENDY	27		
CALDO TRENDY ST	28		
CALDO TRENDY T	29		
CALDO UP T	31		
CALDODESIGN	25		
CALDORAD	54		







FAN HEATERS For a new comfort experience



Original colours and maximum usability for a new experience of comfort

Much more than fan heaters

The Olimpia Splendid range is designed to offer a new experience of comfort, through colours and shapes in line with the latest interior design trends and practical technological solutions.

Thanks to **digital control panels**, **oscillating bases and integrated timers**, the Olimpia Splendid fan heaters can indeed go beyond their primary function, surpassing the traditional context of use and allowing year-round use in the home.

Powerful, robust and safe

Olimpia Splendid fan heaters cater for all needs (from 1500 to 2400W) as well as fans of all-round heat with solutions featuring ceramic heating elements. No cutting of corners on the safety front either - they are made from **self-extinguishing** plastic and feature a **safety thermostat** on all models.

Moreover, Olimpia Splendid needle resistance fan heaters have an **IP21 protection** rating, making them safe against falling solid objects greater than 12 millimetres or falling drops of water.

Range of fan heaters

< 2000W

CALDO RADIALE

(99240) 1,8 KW



FAN HEATERS

CONVECTORS

		· · · ·	· · ·	x ,	· · ·					
NEEDLES RESISTANCE			CALDO ROCK M (99293) 2 KW	▲ ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●						
			CALDO RELAX (99338) 2 KW	 ▲ ▲						
	елеконски Сакороскет (99229) 1.5 КW	CALDODESIGN (99447) 1.8 KW								
CERAMIC RESISTANCE	CALDODESIGN S (99404) 1.8 KW	CALDODESIGN 0 (99402) 1.8 KW								
	€	▲ ► ► ► ► ► ► ► ► ► ►	CALDO TRENDY ST (99267) 2 KW	CALDO TRENDY T (99266) 2 KW						
			CALDO SKY G WIFI	CALDO SKY B WIFI						
			(99265) 2 KW	(99264) 2 KW						
	Protection against dripping		CALDO UP T (99364) 2 KW	itrol included						
	-									
	Rotating base 🛜 Integrated wi-fi									

0 IP21

CALDO POP A

(99292) 2 KW

X

Wall installation



CALDO RADIALE

The compact table fan heater

Cod. 99240









DUAL USE Benchtop or floor-standing, thanks to the addition of four supplied feet.



COMPACT DESIGN Small and compact, fits discreetly into any space



3 MODES OF USE Fan only and two power levels, for customised comfort



ANTI-FROST FUNCTION

To set automatic power-on when the temperature drops below 10°C

FEATURES

Needle resistance Max heat output: 1800 W 2 power levels (900 - 1800W) Safety thermostat Room thermostat Anti-overheating device Mechanical controls Fan only function Antifreeze function Deflector for vertical grille inclination Additional feet included



CALDO POP

Needle fan heaters with IP21 protection



Cod. 99292









POWER UP TO 2000W

Adjustable power level (1.000/2.000W)

FEATURES

Needle resistance Power settings: 1000/2000W IP 21 type-approved against vertical dripping Fan only function Safety thermostat



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



3 MODES OF USE

Fan only and two power levels, for customised comfort



CALDO RELAX

Compact fan heater for safe heating

Cod. 99338





POWER UP TO 2000W Adjustable power level (1.000/2.000W)



IP21 PROTECTION Safety guaranteed against falling drops of water, frequent in the bathroom

Automatically switches off if it falls over

ANTI-TIP DEVICE



3 MODES OF USE Fan only and two power levels, for customised comfort





FEATURES

Needle resistance Power settings: 1000/2000W IP 21 type-approved against vertical dripping Fan only function Safety thermostat Room thermostat Grip on rear Anti-tip device

CONVECTORS



CALDO ROCK M

Needle resistance fan heater with 3 modes of use

Cod. 99293









POWER UP TO 2000W Adjustable power level (1.000/2.000W)



IP21 PROTECTION Safety guaranteed against falling drops of water, frequent in the bathroom



ANTI-TIP DEVICE

The fan heater automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort

FEATURES Needle resistance Power settings: 1000/2000W IP 21 type-approved against vertical dripping Fan only function Safety thermostat Anti-tip device



CALDO ROCK O

Needle resistance fan heater with rotating base

Cod. 99294









ROTATING BASE Automatic horizontal air flow oscillation for improved heat diffusion



POWER UP TO 2000W Adjustable power level (1.000/2.000W)



SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



3 MODES OF USE

Fan only and two power levels, for customised comfort

FEATURES

Needle resistance Selectable thermal power: 1000/2000W IP21 protection against falling drops of water Oscillating function Fan only function Safety thermostat Anti-tip device

HUMIDIFIERS



CALDO TEKNO

The safe and feature-rich fan heater











TOUCHSCREEN DISPLAY

Touch control panel with an understated style, used to set the temperature and minimum and maximum power (1000-2000W).



ECO MODE

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



SILENT FUNCTION

Quiet operation for maximum acoustic comfort



SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over

FEATURES

Needle resistance Max heat output: 2000 W 2 power levels (1000 - 2000W) IP21 protection against vertical dripping Safety thermostat Room thermostat Anti-overheating device Anti-tip device 24h Timer Touchscreen display Fan only function Antifreeze function Eco Mode to reduce consumption Silent Mode for greater acoustic comfort Practical handle for movement Remote control included



CALDOSILENT

Powerful and silent needle resistance fan heater

Cod. 99329









POWER UP TO 2400W Maximum power, among the highest in the category.

ACOUSTIC COMFORT

Lower sound pressure: up to 3dB (A) less than traditional models. 50%* lower perceived noise.



IP21 PROTECTION

Safety guaranteed against falling drops of water, frequent in the bathroom



TIMER

* Internal tests on the range Olimpia Splendid

24h timer programming.

FEATURES Needle resistance

Max thermal power 2400 W 2 power levels (1200-2400W) Fan function Mechanical controls IP21 approved rating against vertical drip 90° swing 24h timer Safety thermostat Room thermostat Antifreeze function Anti-tip switch Handle Silent System



Technical specifications needle resistance fan heaters

		CALDO RADIALE	CALDO POP A	CALDO POP B	CALDO RELAX
PRODUCT CODE	99240 99292		99291	99338	
EAN CODE		8021183992403	8021183992922	8021183992915	8021183993387
Thermal power (Max)	W	1800	1800 2000		2000
Power settings		ONLY FAN / 900 / 1800	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
Heating volume (max)	m³	55	60	60	60
Dimensions (WxHxD)	mm	275 x 112 x 290	210 x 251 x 143	210 x 251 x 143	223 x 265 x 135
Gift box dimensions (WxHxD)	mm	313 x 140 x 312	215 x 257 x 145	215 x 257 x 145	230 x 274 x 140
Weight (without packaging)	kg	1,4	1,1	1,1	1,0
Weight (with packaging)	kg	1,6	1,3	1,3	1,2
Units per master	nr	8	6	6	6
Master dimensions (W x H x D) Insulation class Degree of protection provided by covers		575 x 325 x 640	450 x 230 x 529	450 x 230 x 529	440 x 245 x 570
		II	П	II	II
		IPXO	IP21	IP21	IP21
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50
Conformity mark		CE	CE	CE	CE
Timer		-	-	-	-
Room thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Ventilation function		\checkmark	\checkmark	\checkmark	√
Oscillating function		-	-	-	-
Anti-tip switch		-	-	-	\checkmark
Anti-ice function		\checkmark	-	-	\checkmark
Power selector		\checkmark	\checkmark	\checkmark	\checkmark

		CALDO ROCK M	CALDO ROCK O	CALDO TEKNO	CALDOSILENT
PRODUCT CODE		99293	99294	99241	99329
EAN CODE		8021183992939	8021183992946	8021183992410	8021183993295
Thermal power (Max)	W	2000	2000	2000	2400
Power settings		ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1200 / 2400
Heating volume (max)	m³	60	60	60	80
Dimensions (WxHxD)	mm	217 x 275 x 155	217 x 290 x 155	205 x 280 x 163	267 x 343 x 251
Gift box dimensions (WxHxD)	mm	225 x 280 x 160	225 x 295 x 160	220 x 286 x 164	285 x 360 x 265
Weight (without packaging)	kg	1,1	1,3	1,3	2,7
Weight (with packaging)	kg	1,3	1,5	1,5	3,0
Units per master	nr	6	6	6	3
Master dimensions (W x H x D)		500 x 235 x 580	500 x 235 x 610	507 x 587 x 230	810 x 380 x 300
Insulation class		II	II	II	II
Degree of protection provided by covers Electrical power supply		IP21	IP21	IP21	IP 21
		220/240 - 1 - 50/60	220/240 - 1 - 50/60	220/240 - 1 - 50	230 - 1 - 50
Conformity mark		CE	CE	CE	CE
Timer		-	-	\checkmark	\checkmark
Room thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Ventilation function		\checkmark	\checkmark	\checkmark	\checkmark
Oscillating function		-	\checkmark	-	\checkmark
Anti-tip switch		\checkmark	\checkmark	\checkmark	\checkmark
Anti-ice function		-	-	\checkmark	\checkmark
Power selector		\checkmark	\checkmark	\checkmark	\checkmark



CALDO POCKET

The most compact fan heater yet











COMPACT TECHNOLOGY Small, practical and compact, with pull-out feet, it fits seamlessly into any setting.



3 MODES OF USE Fan only and two power levels, for customised comfort



ANTI-FROST FUNCTION

To set automatic ignition, when the temperature drops below ${\tt S^{\circ}C}$



1500W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1500 W 2 power levels (1000 W - 1500 W) Ceramic heating element Room thermostat Safety thermostat Overheating protection Anti-tip switch Fan-only function Anti-freeze function Mechanical controls Pull-out feet and convenient handle



CALDODESIGN

Retro-style ceramic fan heaters



Cod. 99447 Cod. 99402









COMPACT DESIGN

Small and compact, Caldodesign will blend smoothly into any context, thanks to its reduced dimensions.



VERTICAL TILT ADJUSTMENT Thanks to the sturdy base, the tilt can easily be adjusted for heating in any position



3 MODES OF USE

Fan only and two power levels, for customised comfort



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal output: 1800 W Ceramic Resistance Room Thermostat Safety thermostat Fan only function Anti-frost function Power selection Tilt adjustment 2 LED indicator Mechanical control RADIATORS



CONVECTORS

CALDO CUBIC

The compact and safe ceramic fan heater

Cod. 99228









SECURE SYSTEM IP21 protection against falling drops of water and automatically switches off if it falls over

3 MODES OF USE Fan only and two power levels, for customised comfort

EASY TO MOVE

Ultra-practical with an ergonomic handle and compact dimensions



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1800 W 2 power levels (900 W - 1800 W) Ceramic heating element Room thermostat Safety thermostat Overheating protection Anti-tip switch IP21 rating Fan-only function Anti-freeze function (when the temperature drops below 5°C) Mechanical controls Convenient handle



CALDO TRENDY

The safe fan heater with digital panel











SECURE SYSTEM

IP21 protection against falling drops of water and automatically switches off if it falls over



DIGITAL CONTROL

Digital control panel to regulate power and integrate timer



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



1800W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 1800 W 2 power levels (900 W - 1800 W) Ceramic heating element Room thermostat Safety thermostat Overheating protection Anti-tip switch IP21 protection rating ECO function (up to 50% energy savings) 12h Timer Digital control panel and LED display Temperature setpoint from 15°C to 30°C 80° automatic swing



CALDO TRENDY ST

The technological fan heater with a linear design











TOUCHSCREEN DISPLAY Touch-screen control panel, with minimal aesthetic impact, for immediate control.

ECO FUNCTION Adjustable power for up to 50% energy savings.



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 2000 W 2 power levels (1000 W - 2000 W) Ceramic resistor Room thermostat Safety thermostat Overheating protection Anti-tip switch ECO function (up to 50% energy savings) 12h Timer Touchscreen display Temperature setpoint from 15°C to 30°C 80° automatic swing Remote control



CALDO TRENDY T

The tower fan heater with a integrated air filter

Cod. 99266









AIR FILTER Air filter with antidust efficiency, easy to remove and clean



DIGITAL CONTROL Digital control panel to regulate power and integrate timer



ROTATING BASE

Automatic horizontal air flow oscillation for improved heat diffusion



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 2000 W 2 power levels (1000 W - 2000 W) Ceramic resistor Room thermostat Safety thermostat Overheating protection Anti-tip switch ECO function (up to 50% energy savings) 12h Timer Digital control panel and LED display Temperature setpoint from 15°C to 30°C 80° automatic swing Remote control Antidust filter



CALDO SKY

The wall-mounted ceramic fan heater with integrated Wi-Fi

Cod. 99265

Cod. 99264









WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated app.



COMFORT 12 MONTHS

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



SECURE SYSTEM

IP22 protection, safety thermostat, anti-overheating device and open window sensor



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max thermal power: 2000 W 3 settings: fan only/low/high Ceramic resistor Room thermostat Safety thermostat Overheating protection Open window detection Motorised flap and auto-swing Touchscreen display Temperature setpoint between 18°C and 45°C Timer with weekly programme Remote control Handy wall attachment



CALDO UP T

Programmable wall-mounted ceramic fan heater

Cod. 99364









LED DISPLAY

Option to view the temperature and active functions via LED indicator lights on-board the machine.



COMFORT 12 MONTHS

Three operating levels with fan only and two power levels, with motorised flap and auto-swing



SECURE SYSTEM

Safety thermostat, overheating protection and window opening detector



2000W WITH CERAMIC TECHNOLOGY

The ceramic resistance guarantees more even and constant heat distribution.

FEATURES

Max power : 2000 W Ceramic resistance 3 settings: fan only/low/high Remote control LED display with digital controls Weekly timer with daily slots Overheating protection Practical wall connection Automatic flap swing Light power indicator Weekly programming timer Open window detector **FAN HEATERS**








Technical specifications ceramic fan heaters

		NEW				NEW
		CALDO POCKET	CALDODESIGN	CALDODESIGN O	CALDODESIGN S	CALDO CUBIC
PRODUCT CODE		99229	99447	99402	99404	99228
EAN CODE		8021183992298	8021183994476	8021183994025	8021183994049	8021183992281
Thermal power (Max)	W	1500	1800	1800	1800	1800
Power settings		ONLY FAN / 1000 / 1500	ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	ONLY FAN / 1000 / 1800	ONLY FAN / 900 / 1800
Heating volume (max)	m³	50	55	55	55	55
Dimensions (WxHxD)	mm	159 x 219 x 98	245 x 248 x 216	245 x 248 x 216	245 x 248 x 216	165 x 215 x 145
Gift box dimensions (WxHxD)	mm	169 x 240 x 106	275 x 275 x 235	275 x 275 x 235	275 x 275 x 235	183 x 230 x 183
Master dimensions (W x H x D)	mm	552 x 495 x 180	750 x 290 x 570	750 x 290 x 570	750 x 290 x 570	378 x 247 x 378
Units per master		10	6	6	6	4
Weight (without packaging)	kg	1,1	1,8	1,8	1,8	1,6
Weight (with packaging)	kg	1,2	2,2	2,2	2,2	1,8
Insulation class		II	П	II	II	
Degree of protection provided by covers		IPXO	IP XO	IP XO	IP XO	IP21
Electrical power supply	V-F-Hz	220/240 - 1 - 50/60	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50/60
Conformity mark		CE	CE	CE	CE	CE
Ceramic resistance		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Timer		-	-	-	-	-
Room thermostat		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Ventilation function		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Oscillating function		-	-	-	-	-
Anti-tip switch		\checkmark	-	-	-	\checkmark
Anti-ice function		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Power selector		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Eco Function		-	-	-	-	-
Remote control		-	-	-	-	-
Tilt adjustment		-	\checkmark	\checkmark	\checkmark	-
LED indicators		-	\checkmark	\checkmark	\checkmark	\checkmark
Integrated wi-fi & voice control		-	-	-	-	-

		CALDO TRENDY	CALDO TRENDY ST	CALDO TRENDY T	CALDO SKY B WIFI	CALDO SKY G WIFI	CALDO UP T
PRODUCT CODE		99268	99267	99266	99264	99265	99364
EAN CODE		8021183992687	8021183992670	8021183992663	8021183992649	8021183992656	8021183993646
Thermal power (Max)	W	1800	2000	2000	2000	2000	2000
Power settings		900 / 1800	1000 / 2000	1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000	ONLY FAN / 1000 / 2000
Heating volume (max)	M3	55	60	60	60	60	60
Dimensions (WxHxD)	mm	216 x 284 x 125	190 x 450 x 140	241 x 604 x 190	550 x 180 x 127	550 x 180 x 127	560 x 185 x 145
Gift box dimensions (WxHxD)	mm	262 x 316 x 150	232 x 486 x 183	278 x 655 x 225	598 x 220 x 156	598 x 220 x 156	595 x 225 x 170
Master dimensions (W x H x D)	mm	465 x 647 x 277	387 x 511 x 250	465 x 670 x 293	610 x 330 x 460	610 x 330 x 460	605 x 355 x 470
Units per master		6	2	2	4	4	4
Weight (without packaging)	kg	1,7	2,5	3,2	2,3	2,3	2,8
Weight (with packaging)	kg	2,0	3,0	3,8	3,0	3,0	3,1
Insulation class		II	Ш	II	II	II	П
Degree of protection provided by covers		IP21	IPXO	IPXO	IP22	IP22	IP XO
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50	220/240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Ceramic resistance		\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark
Timer		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Room thermostat		\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	√	√	\checkmark	\checkmark
Ventilation function		-	-	-	√	\checkmark	\checkmark
Oscillating function		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Anti-tip switch		\checkmark	\checkmark	√	-	-	-
Anti-ice function		-	-	-	-	-	-
Power selector		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Eco Function		\checkmark	\checkmark	√	-	-	-
Remote control		-	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Tilt adjustment		-	-	-	-	-	-
LED indicators		\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark
Integrated wi-fi & voice control		-	-	-	√	\checkmark	-







CONVECTORS

For immediate and consistent comfort throughout the room



The benefits of convection heating

Uniform and immediate heat

The convector heaters exploit the natural convection of air: they attract cold air flows from below and release hot air flows from above. Exploiting and facilitating this movement ensures highly efficient heat diffusion. Moreover, their direct action on the air temperature (and not just the surfaces) makes them ideal for those requiring immediate heat. The design of the air output grilles and turbo functions further amplify the heating speed of Olimpia Splendid systems.

Double installation and advanced controls

Olimpia Splendid systems stand out for their exceptional user experience. In addition to traditional floor-standing installation, the convector can be also be wall mounted for best integration in the room. And the controls? In addition to the machine-mounted panel, there are also automatic on/off timers, a remote control for control by remote, and for the model with built-in Wi-Fi, also a mobile app. For comfort that's always under control.

Convector range



CALEO GLASS WIFI

The glass convector heater with double installation and built-in Wi-Fi

Cod. 99238









DOUBLE INSTALLATION

Possibility for wall or floor installation thanks to the supplied brackets and feet.



By downloading the OS Home app it is possible to

INTEGRATED WI-FI

manage all its functions from your smartphone, even when away from home.



ECO FUNCTION

Adjustable power for up to 50% energy savings.



GLASS FRAME

Glass front panel for a more contemporary style with built-in touchscreen display

FEATURES

Max heat output 2000 W 2 power levels: 1000 - 2000 W Temperature setting from 15°C to 50°C Touchscreen display Safety thermostat Room thermostat Anti-overheating device Wall or floor installation Brackets included for wall mounting Antifreeze function Eco Function 24h Timer and Weekly Timer Child lock Remote control included Maximum heatable volume: 60 m³



CALEO METAL

Fan heater with full metal frame

Cod. 99296









POWER UP TO 2000W 3 adjustable heating levels (750, 1,250 and 2,000W)



SILENT SYSTEM Silent operation, for optimum acoustic comfort



ROOM THERMOSTAT To optimise consumption, maintaining the desired temperature



FULL METAL FRAME Full metal frame for maximum safety.

FEATURES

Max thermal output: 2000 W 3 power settings: 750 - 1250 - 2000 W Mechanical controls Safety thermostat Room thermostat Floor installation Max room volume: 60 m³



CALEO 2 T / CALEO 2 TT

Fan heaters with turbo function and 24h timer

Cod. 99552











FAST HEATING

The design of the grille in the upper part widens the convection range, making Caleo a very low inertia convector, ideal when a room needs to be heated very quickly.



COMPACT TECHNOLOGY

Extremely compact shape and only 12 cm thick.



METAL FRAME

The clean shape, lightness and solidity of Caleo are made possible by the painted metal frame and shell.



TIMER 24h timer programming (only TT version)

FEATURES

Max thermal output: 2000 W 3 power settings: 750 - 1250 - 2000 Mechanical controls Safety thermostat Floor installation Turbo Function: auxiliary fan 24h Timer (only Caleo TT) Max room volume: 70 m³ CONVECTORS

NFRARED HEATERS

RADIATORS






Technical specifications convector heaters

		CALEO GLASS WIFI	CALEO METAL	CALEO 2 T	CALEO 2 TT
PRODUCT CODE		99238	99296	99552	99551
EAN CODE		8021183992380	8021183992960	8021183995527	8021183995510
Front panel		Glass	Metal	Metal	Metal
Thermal power(Min - Med - Max)	W	1000 - / - 2000	750 - 1250 - 2000	750 - 1250 - 2000	750 - 1250 - 2000
Heating volume (max)	m³	60	60	70	70
Dimensions (W x H x D)	mm	790 x 502 x 247	620 x 395x 220	620 x 460 x 228	620 x 460 x 228
Gift box dimensions (WxHxD)	mm	835 x 490 x 135	695 x 400 x 135	670 x 490 x 180	670 x 490 x 180
Weight (without packaging)	kg	7,8	3,0	4,0	4,1
Weight (with packaging)	kg	9,3	3,8	4,8	4,9
Electrical power supply	V-F-Hz	230 - 1 - 50/60	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Room thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Anti-ice function		\checkmark	-	\checkmark	\checkmark
Turbo Function		-	-	\checkmark	\checkmark
Timer 24h		\checkmark	-	-	\checkmark
Temperature setting		\checkmark	-	-	-
Integrated wi-fi		\checkmark	-	-	-
Wall installation		\checkmark	-	-	-







INFRARED HEATERS Maximum performance, minimum consumption



Customised, energy-efficient comfort: Olimpia Splendid infrared technology

Intense, efficient heating

Technology meets practicality and respect for the environment in the world of Olimpia Splendid infrared heaters. Our heaters offer much more than a simple heat source. They are designed to ensure maximum comfort while minimising energy consumption.

The heaters are the best solution if you want to heat small areas in the home. They use quartz, halogen and carbon fibre lamps to create heat.

Infrared technology benefits

The user-friendly design of our heaters makes them easy to use, with convenient handles to move them from one room to another.

If you're looking for greater customisation of your comfort, the carbon fibre heater allows you to direct the heat, thus ensuring optimal heating.

The new quartz heater is perfect for rooms with very dry air thanks to the light vapour jet that maintains the ideal level of humidity and ensures a comfortable and healthy environment.

Infrared heater range



QUARZIA HUMI

1200W infrared heater with quartz lamp

Cod. 99227









QUARTZ TECHNOLOGY

Instant, uniform heat thanks to quartz lamp infrared technology



3 POWER LEVELS

The temperature of the room is easily adjusted by turning the knob.



STOP DRY AIR

In addition to heating the room, it is also possible to avoid dry air by using the humidifier setting to deliver a light jet of hot vapour



EASY TO MOVE

Convenient ergonomic handle and cable winder for greater comfort of use

FEATURES

Max thermal power: 1200 W 3 power levels (400 - 800 - 1200 W) 6 usage modes: 3 power levels and no vapour emission Safety thermostat Overheating protection Anti-tip switch Convenient handle and cable winder Mechanical controls Maximum room volume: 45 m³



SOLARIA EVO

Infrared heater with halogen technology from 1200W



Cod. 99396







HALOGEN TECHNOLOGY

Maximum heating speed. Halogen technology guarantees uniform comfort and extreme rapidity.



USER FRIENDLY

Practical and ergonomic handle, for an even easier trasport.



OSCILLATION

90° oscillation for amplified heat distribution.



3 POWER LEVELS

The temperature of the room is easily adjusted by turning the knob.

FEATURES 3 power settings (400 - 800 - 1200 W) 90° Oscillation

90° Oscillation Safety thermostat Anti-tip switch Handle Max room volume: 45 m³



SOLARIA CARBON

1100W carbon fibre infrared heater

Cod. 99610





CONVECTORS

CARBON FIBRE

CARBON TECHNOLOGY

The infrared lamps are made in carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



ORIENTING

The infrared lamp can be inclined up to 80° orienting the heat upwards, for greater heating comfort.



OSCILLATION

90° oscillation for amplified heat distribution.



2 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs

FEATURES

Max hermal output 1100 W 2 power settings (600 - 1100 W) Mechanical controls 90° Oscillation Radiation direction: the lamp can be inclined up to 80° orienting the heat upwards Safety thermostat Anti-tip switch Handle Max room volume: 45 m³

CARBON BLACK

1100W carbon fibre infrared heater

Cod. 99579





CARBON TECHNOLOGY

The infrared lamps are made in carbon fibre, an ecological technology that makes the most of heating by minimizing light dispersion.



OSCILLATION

90° oscillation for amplified heat distribution.



2 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs

FEATURES

Max thermal output 1100 W 2 power settings (550 - 1100 W) Mechanical controls 90° Oscillation Safety thermostat Anti-tip switch Handle Max room volume: 45 m³



Technical specifications infrared heaters



		NEW				
		QUARZIA HUMI	SOLARIA EVO	SOLARIA EVO S	SOLARIA CARBON	CARBON BLACK
PRODUCT CODE		99227	99545	99396	99610	99579
EAN CODE		8021183992274	8021183995459	8021183993967	8021183996104	8021183995794
Technology		Quartz	Halogens	Halogens	Carbon fibre	Carbon fibre
Power levels	W	400 - 800 - 1200	400 - 800 - 1200	400 - 800 - 1200	600 - 1100	550 - 1100
Heating volume (max)	M3	45	45	45	45	45
Dimensions (WxHxD)	mm	320 x 460 x 160	325 x 585 x 170	325 x 585 x 170	456 x 690 x 170	320 x 640 x 240
Gift box dimensions (WxHxD)	mm	360 x 484 x 190	330 x 615 x 200	330 x 615 x 200	315 x 740 x 175	315 x 680 x 175
Weight (without packaging)	kg	2,3	2,0	2,0	3,2	2,2
Weight (with packaging)	kg	2,9	2,5	2,5	3,7	2,7
Electrical power supply	V-F-Hz	230 - 1 - 50/60	220/240 - 1 - 50	220/240 - 1 - 50/60	230 - 1 - 50	220/240 - 1 - 50/60
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark	√
Oscillating function		-	\checkmark	\checkmark	\checkmark	\checkmark
Anti-tip switch		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Humidifier functions		\checkmark	-	-	-	-
Tank capacity	ml	450	-	-	-	-
Handle		\checkmark	\checkmark	\checkmark	\checkmark	√

CONVECTORS





RADIATORS The most silent comfort is long-lasting



Silent and long-lasting heat for pleasant, breathable comfort

Super power, in maximum silence

Oil-filled radiators are the ideal solution to efficiently heat rooms in utmost acoustic comfort. The Olimpia Splendid range is made up of 6 models with variable thermal power from 1500 to 2500W, to suit a a variety of needs.


Multifunctionality

To make comfort a state of complete well-being, the Olimpia Splendid range also includes electric radiators with integrated humidifier: perfect for heating every room without drying the air. The enveloping heat and perfect level of humidity thus make for pleasant, breathable comfort.

High inertia

Recommended for use over long periods, oil-filled radiators are distinguished by their high thermal inertia, which guarantees the continuous release of heat into the room even after they've been turned off.

Oil-filled radiators range



CALDORAD HUMI

Oil-filled radiators with integrated humidifier

Cod. 99298

Cod. 99263









INTEGRATED HUMIDIFIER

To keep the right amount of humidity in the air



SILENT SYSTEM

The acoustic comfort is guaranteed: it operates in complete silence



SUPER INERTIA

Up to 13 heating elements for long-lasting, uniform heat dispersion, even when switched off



3 POWER LEVELS

The temperature of the room is easily adjusted by using the knobs

FEATURES

2 versions available: CaldoRad Humi 9 (max heat output 2000 W) CaldoRad Humi 13 (max heat output 2500 Ŵ) Mechanical controls Safety thermostat Room thermostat Anti-tip switch Antifreeze function Integrated handles Wheels Cable winder Integrated humidifier with 450 ml tank capacity



CALDORAD

High inertia oil-filled radiators, for uniform heat diffusion







SUPER INERTIA

The special engineering of the metal elements and openings on the sides, enable heat to be spread homogeneously and guarantee long heating maintenance times. Ideal for heating large rooms.



SILENT SYSTEM

The acoustic comfort is guaranteed: it operates in complete silence



ECO MODE

It is able to module the input power depending on the measured room temperature, reducing consumption and increasing comfort levels.



TIMER & TURBO MODE

24 h timer settings and turbo function for faster heating (9TT model only).

FEATURES

4 different versions: CaldoRad 7 (max thermal output 1500 W) CaldoRad 9 (max thermal output 2000 W) CaldoRad 11 (max thermal output 2500 W) CaldoRad 9 TT (max thermal output 2000 + 400 W) Mechanical controls Safety thermostat Room thermostat Anti-tip switch Anti-frost function Handles Wheels Cable winder 24h timer

Technical specifications oil-filled radiators

		CALDORAD HUMI 9	CALDORAD HUMI 13
PRODUCT CODE		99263	99298
EAN CODE		8021183992632	8021183992984
Power levels	W	800-1200-2000	1000-1500-2500
Heating volume (max)	m³	60	75
Dimensions (W x H x D) (with wheels)	mm	240 x 625 x 430	250 x 625 x 590
Gift box dimensions (WxHxD)	mm	140 x 695 x 480	140 x 695 x 640
Weight (without packaging)	kg	8,7	12,6
Weight (with packaging)	kg	9,7	13,7
Oil	kg	1,95	2,60
Electrical power supply	V-F-Hz	220/240 - 1 - 50	220/240 - 1 - 50
Timer 24h		-	-
Room thermostat		\checkmark	\checkmark
Safety thermostat		\checkmark	
Ventilation function		-	-
Anti-tip switch		\checkmark	\checkmark
Eco Function		-	-
Anti-ice function		\checkmark	\checkmark
Wheels		\checkmark	\checkmark
Handles			\checkmark
Power supply cable housing		\checkmark	\checkmark
Humidifier		\checkmark	√

		CALDORAD 7	CALDORAD 9	CALDORAD 11	CALDORAD 9 TURBO TIMER
PRODUCT CODE		99620	99619	99618	99617
EAN CODE		8021183996203	8021183996197	8021183996180	8021183996173
Power levels	W	ECO 700 - 800 - 1500	ECO 1000 - 1000 - 2000	ECO 1200-1300 -2500	ECO 1000-1000-2000 (+400)
Heating volume (max)	M3	50	60	75	75
Dimensions (W x H x D) (with wheels)	mm	235 x 620 x 340	235 x 620 x 420	235 x 620 x 500	235 x 620 x 420
Gift box dimensions (WxHxD)	mm	160 x 670 x 400	160 x 670 x 480	160 x 670 x 560	160 x 670 x 480
Weight (without packaging)	kg	8,7	10,4	12,3	11,0
Weight (with packaging)	kg	9,6	11,4	13,7	12,0
Oil	kg	1,50	1,95	2,20	1,95
Electrical power supply	V-F-Hz	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50	230 - 1 - 50
Timer 24h		-	-	-	\checkmark
Room thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Safety thermostat		\checkmark	\checkmark	\checkmark	\checkmark
Ventilation function		-	-	-	\checkmark
Anti-tip switch		\checkmark	\checkmark	\checkmark	\checkmark
Eco Function		\checkmark	\checkmark	\checkmark	\checkmark
Anti-ice function		\checkmark	\checkmark	\checkmark	\checkmark
Wheels		\checkmark	\checkmark	\checkmark	\checkmark
Handles		\checkmark	\checkmark	\checkmark	\checkmark
Power supply cable housing		\checkmark	\checkmark	\checkmark	\checkmark
Humidifier		-	-	-	-

OLIMPIA SPLENDID







DEHUMIDIFIERS

Compact and multifunctional for air treatment all year round



Much more than dehumidifiers

Italian design

The Aquaria dehumidifier range offers six models in R290 designed by Alessio Abdolahian, already designer of the Dolceclima Air Pro portable air conditioners, awarded at the most recent Good Design Award, inspiring the company to create a distinctive family line. The aesthetic is distinguished by its **clean and contemporary style** and the capacity to enclose, in extremely compact forms, superior technology.


Purification with HEPA filters

On the air treatment front, the range is distinguished by **increasing filtration capacity**, and features a filtering capacity starting from the pre-filter and the activated carbon filter, right up to being equipped with HEPA filters in the most powerful models. The new Aquaria dehumidifiers go beyond their primary function and are positioned as solutions for **complete air treatment**, all year round.

Latest-generation controls

All models are equipped with precision control, thanks to the digital touch **control panel**. In addition, in the top-of-therange models, the **integrated wi-fi** makes it possible to manage the dehumidifier functions even from your smartphone, by downloading the dedicated app.

Dehumidifiers range



Skyrunner

AQUARIA S1 10 P

The compact 10-litre dehumidifier

Cod. 02060





GOOD





DOUBLE FILTRATION

ERGONOMIC DESIGN

even in the corners of the home

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.

Easy to move thanks to the side handles and wheels, it

features a super compact design for easy positioning,

Å

DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 10 I / 24h For rooms up to 45 m³ Coolant gas: R290 Tank capacity: 21 Noise level 40 dB Temperature and humidity indicator 1-24h timer Semi-transparent removable tank Full tank alarm Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation FAN HEATERS

CONVECTORS



Skyrunner

AQUARIA S1 12 P

The compact 12-litre dehumidifier







GOOD





DOUBLE FILTRATION

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.



ERGONOMIC DESIGN Easy to move thanks to the

Easy to move thanks to the side handles and wheels, it features a super compact design for easy positioning, even in the corners of the home



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 12 I / 24h For rooms up to 55 m³ Coolant gas: R290 Tank capacity: 21 Noise level 40 dB Temperature and humidity indicator 1-24h timer Semi-transparent removable tank Full tank alarm Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation



AQUARIA S1 14 P

The double filter 14-litre dehumidifier







DOUBLE FILTRATION

ERGONOMIC DESIGN

even in the corners of the home

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.

Easy to move thanks to the side handles and wheels, it

features a super compact design for easy positioning,

Å

DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 14 I / 24h For rooms up to 65 m³ Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 2l Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation Full tank alarm CONVECTORS

NFRARED HEATERS

RADIATORS

GAS STOVE RANGE

DEHUMIDIFIERS

HUMIDIFIERS

FAN HEATERS







Skyrunner

AQUARIA S1 16 P

The double filter 16-litre dehumidifier







GOOD





DOUBLE FILTRATION

ERGONOMIC DESIGN

Captures the main allergens through the antidust filter and eliminates unpleasant odours thanks to the integrated activated carbon filter.

Easy to move thanks to the side handles and wheels, it

features a super compact design for easy positioning,



even in the corners of the home

DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.



INTEGRATED TIMER

For 24h on/off programming

FEATURES

Dehumidification capacity: 16 I / 24h For rooms up to 75 m³ Coolant gas: R290 Noise level 40 dB Temperature and humidity indicator 1-24h timer Tank capacity: 2I Semi-transparent removable tank Speed: low/medium/high Dry function Automatic defrosting device Wheels for transportation Full tank alarm



Skyrunner

AQUARIA S1 20 P

The most complete 20-litre dehumidifier







GOOD





TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



MOTORISED FLAPS

Enjoy the best comfort experience thanks to the air flow management function.



TOUCHSCREEN E HIDDEN DISPLAY

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.

FEATURES

Dehumidification capacity: 20I / 24h For rooms up to 90 m³ Coolant gas: R290 Tank capacity: 51 Noise level 38 dB Motorised flap Temperature and humidity indicator 1-24h timer Semi-transparent removable tank with handle Speed: low/medium/high Dry function Automatic defrosting device Child lock Wheels for transportation Full tank alarm

CONVECTORS

FAN HEATERS



AQUARIA S1 24 P

The most complete 24-litre dehumidifier







TRIPLE FILTRATION WITH HEPA FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA filter effective on particles up to 0.3 microns



MOTORISED FLAPS

Enjoy the best comfort experience thanks to the air flow management function.



TOUCHSCREEN E HIDDEN DISPLAY

Touchscreen control panel with an understated style and backlit front display (can be deactivated) for immediate humidity control



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.







FEATURES

Dehumidification capacity: 24I / 24h For rooms up to 100 m³ Coolant gas: R290 Tank capacity: 5I Noise level 38 dB Motorised flap Temperature and humidity indicator 1-24h timer Semi-transparent removable tank with handle Speed: low/medium/high Dry function Automatic defrosting device Child lock Wheels for transportation Full tank alarm



SECCOPROF

Professional dehumidifiers for large spaces

Cod. 02106

Cod. 02107









SUPER POWER

Seccoprof is able to absorb up to 40 litres of excess humidity per day, thus allowing the dehumidification of large spaces.

NON-STOP OPERATING Continuous condensation drain for non-stop dehumidification, without needing to remove the tank.



WARM GAS DEFROSTING

Guarantees constant operation of the compressor, avoiding frequent activation and deactivation periods, and also allows operation at temperatures close to 0°C.



DIGITAL CONTROL

The control panel allows accurate settings and timely control of the air temperature and humidity.

FEATURES

Dehumidification capacity: 30l / 24h and 40l / 24h For rooms up to 150/200 m³ Coolant gas: R290 Tank capacity: 8l Noise level 52 dB Temperature and humidity indicator 1-24h timer Removable tank with water level visualisation 2 fan speed levels Dry and Fan function Automatic defrosting device Wheels for transportation Full tank alarm 2 filtering levels (pre-filter / activated carbon filter)

HUMIDIFIERS



Technical specifications dehumidifiers

		AQUARIA S1 10 P	AQUARIA S1 12 P	AQUARIA SI 14 P	AQUARIA SI 16 P	AQUARIA SI 20 P	AQUARIA SI 24 P
PRODUCT CODE		02060	02061	02062	02063	02064	02065
EAN CODE		8021183020601	8021183020618	8021183020625	8021183020632	8021183020649	8021183020656
Dehumidification capacity (2)	l/24h	10	12	14	16	20	24
Power absorption in dehumidification mode (1)	W	170	180	190	200	310	320
Nominal absorption in dehumidification mode (1)	A	0,9	1,0	1,1	1,2	1,8	1,9
Max. power absorption in dehumidification mode (2)	W	250	264	252	262	350	360
Max. absorption in dehumidification mode (2)	A	1,4	1,5	1,4	1,5	1,7	1,8
Max. power absorption in dehumidification mode (U.L.U.)	W	270	280	290	300	370	380
Degree of protection		IPXO	IPXO	IPXO	IPXO	IPXO	IPXO
Fan speed	nr	3	3	3	3	3	3
Tank capacity	1	2	2	2	2	5	5
Air flow rate (max)	m³/h	110	120	110	120	170	180
Product dimensions (W x H x D with wheels)	mm	293 x 487 x 218	293 x 487 x 218	293 x 512 x 218	293 x 512 x 218	367 x 610 x 274	367 x 610 x 274
Gift box dimensions (WxHxD)	mm	324 x 518 x 248	324 x 518 x 248	324 x 546 x 248	324 x 546 x 248	421 x 664 x 335	421 x 664 x 335
Noise level	dB(A)	40	40	40	40	38	38
Weight (without packaging)	kg	10,2	10,2	11,0	11,0	14,6	14,6
Weight (with packaging)	kg	10,5	10,5	11,4	11,4	16,1	16,1
Coolant gas		R290	R290	R290	R290	R290	R290
GWP (Global Warming Potential)		3	3	3	3	3	3
Refrigerant gas charge	kg	0,036	0,036	0,043	0,043	0,052	0,052
Minimum flor area for installation, use and storage	m²	4	4	4	4	4	4
Plug		EU	EU	EU	EU	EU	EU
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50	220-240 - 1 - 50
Conformity mark		CE	CE	CE	CE	CE	CE
Antidust filter		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Carbon filter		\checkmark	√	\checkmark	\checkmark	√	\checkmark
HEPA filter		-	-	-	-	\checkmark	\checkmark
Continuous operation with hose		\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark
Humidity level power settings		\checkmark	√	\checkmark	\checkmark	\checkmark	\checkmark
Indoor humidity visualizer		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Indoor temperature visualizer		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Full tank alarm		\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark
Child lock		-	-	-	-	√	\checkmark
Oscillation		-	-	-	-	√	\checkmark
Laundry function		\checkmark	√	\checkmark	\checkmark	√	\checkmark
Timer		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Defrosting device		\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark
Integrated wi-fi		-	-	-	-	√	\checkmark

Ω	OLIMPIA
V	SPLENDID

SECCOPROF 40 P

PRODUCT CODE EAN CODE		02106	02107 8021183021073	
		8021183021066		
Dehumidification capacity (1)	l/24h	30	40	
Power absorption in dehumidification mode (1)	W	560	650	
Max. power absorption in dehumidification mode (U.L.U.)	W	620	750	
Fan speed	nr	2	2	
Tank capacity		8	8	
Air volume (max)	m³/h	240	240	
Sound pressure	dB(A)	52	52	
Dimensions (WxHxD)	mm	312 x 635 x 453	312 x 635 x 453	
Gift box dimensions (WxHxD)	mm	356 x 688 x 492	356 x 688 x 492	
Weight (without packaging)	kg	24,9	27,2	
Weight (with packaging)	kg	26,8	29,0	
Refrigerant gas / Charge (kg)		R290 / 0,083	R290 / 0,096	
Power supply	V-F-Hz	220-240 - 1 - 50	220-240 - 1 - 50	
Plug		Schuko	Schuko	
Power supply min - max	V	220-240	220-240	
Antidust filter		\checkmark	\checkmark	
Carbon filter		\checkmark		
HEPA filter		-	-	
Continuous operation with hose		\checkmark		
Digital control		\checkmark	\checkmark	
Humidity level power settings		\checkmark		
LCD Display		\checkmark		
Indoor humidity visualizer		\checkmark		
Indoor temperature visualizer		\checkmark	\checkmark	
Full tank alarm		\checkmark	\checkmark	
Defrosting device		\checkmark	\checkmark	
Mot gas defrosting system		\checkmark	\checkmark	
Handle		\checkmark	\checkmark	
Wheels		\checkmark	\checkmark	
Tank with push-pull locking			-	
Tank with Handle		-	-	
Visible water level			\checkmark	

SECCOPROF 30 P





HUMIDIFIERS With chromotherapy, for total well-being



Breathe in well-being

Humidified air and essential oils

Good sleep, perfect concentration and a pleasant sensation of well-being are all tied to the comfort of the air we breathe. Managing the air quality is possible, starting from a correct balance of the **humidity present in the air:** even with the heating on, the percentage must remain at **50-60%** with the help of a device that humidifies the air in the environment, preventing dryness and irritation to the respiratory tract. The addition of **essential** oils to be diffused in the room also contributes to stimulating psycho-physical well-being.

The importance of chromotherapy

The Olimpia Splendid solutions for humidifying and diffusing aromas in the environment are not limited to their primary function; they integrate systems capable of making comfort a state of complete well-being. An example of this is the **lamp for chromotherapy:** an ancient practice that promotes relaxation and has beneficial effects on the mood.

Humidifiers range



LIMPIA 2

The small multi-function humidifier







FAN HEATERS

CONVECTORS

PURIFIER AND AROM/ DIFFUSER

Variable courtesy light for an all-enveloping sensation of well-being $% \left({{{\rm{A}}_{{\rm{B}}}} \right)$



m

21

8H TOUCH DISPLAY TIMER Possibility to programme up to 8 hours of operation

O CHIMPLA

Possibility to fill the tank with up to 2 litres of water.

Practical and modern touch to optimise settings

When the tank is empty, an alarm sounds

CHANGING COLORED LED LIGHT

FEATURES

200

Cold ultrasound technology Humidification capacity 150 ml/h LED light for chromotherapy Tank capacity: 2 l 8h timer Empty tank alarm Cleaning brush included

Cod. 99423



TANK CAPACITY 2L

TOUCH DISPLAY





LIMPIA 4

The practical adjustable humidifier





VARIO POWER Continuous adjustment of the humidity emitted.



 $\langle \rangle$

REMOTE CONTROL To manage all functions in total comfort, even by remote



CHROMOTHERAPY

In addition to humidifying the air, it emits a variable courtesy light



TIMER

Possibility to programme up to 8 hours of operation





FEATURES

Cold ultrasound technology Humidification capacity 300 ml/h Remote control Coloured LED light for chromotherapy Vapour intensity continuous adjustment Tank capacity: 4 l 8h timer Empty tank alarm



LIMPIA HERO WIFI

The multifunctional humidifier with built-in Wi-Fi











FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



PURE SYSTEM

lonising plasma function to reduce polluting particles in the air and hot mist function to sanitise the water.



INTEGRATED WI-FI

By downloading the OS Home app it is possible to manage all its functions from your smartphone, even when away from home.



BABY MODE

Maintains a constant humidity of 55% to ensure child comfort

FEATURES

Cold mist ultrasonic technology Tank capacity: 5 It Humidification capacity: 450 ml/h 3 humidity emission settings Two-way vapour emission Humidity % setting from 40% to 80% Touchscreen display Hot mist setting Drawer for essential oils Night light with 7 colour tones Baby, Manual, Auto and Sleep Mode Child lock 12h Timer Empty tank alarm Cleaning brush included



LIMPIA 6

Humidifier with fragrance diffuser







TANK CAPACITY 6L Tank filling with up to 6 litres of water. V

Tank filling with up to 6 litres of water. When the tank is empty, an alarm sounds



REMOTE CONTROL

To manage all functions in total comfort, even by remote



FRAGRANCE DIFFUSER

In addition to humidifying the air, it allows the diffusion of balsamic aromas that enhance well-being



3 HUMIDITY EMISSION SETTINGS

To manage the flow of steam, in addition to the bidirectional air flow and heating function





FEATURES

Cold ultrasound technology Humidification capacity 330 ml/h Vapour pre-heat function Digital touch display 3 humidity emission settings Draw for essential oils Slim remote control Night light Tank capacity: 6 l 8h timer Empty tank alarm Two-way vapour emission



Humidifier technical data



		LIMPIA 2	LIMPIA 4	LIMPIA HERO WIFI	LIMPIA 6
PRODUCT CODE		99423	99424	99239	99425
EAN CODE		8021183994230	8021183994247	8021183992397	8021183994254
Humidification capacity (cold steam / hot steam)	ml/h	125 / 0	300 / 0	250 / 450	290 / 330
Humidificable Area	mq	25	35	27	50
Power absorption (cold steam / hot steam)	W	12 / 0	25/0	250 / 450	25 / 55
Vapour emission levels	nr	1	1	3	3
Degree of protection		IP XO	IP XO	IP XO	IP XO
Tank capacity		2,0	4,0	5,0	6,0
Master box quantity		4	4	4	4
Dimensions (WxHxD)	mm	180 x 189 x 180	204 x 290 x 205	284 x 318 x 165	290 x 337 x 170
Gift box dimensions (WxHxD)	mm	215 x 226 x 215	245 x 340 x 235	325 x 355 x 200	315 x 360 x 195
Master Box dimensions (W x H x D)	mm	450 x 246 x 445	510 x 360 x 485	670 x 420 x 375	650 x 380 x 405
Weight (without packaging)	kg	0,80	1,20	2,4	2,00
Weight (with packaging)	kg	1,20	1,80	3,2	2,30
Power supply	V-F-Hz	100-240 - 1 - 50/60	100-240 - 1 - 50/60	220-240 - 1 - 50/60	220-240 - 1 - 50/60
Conformity mark		CE	CE	CE	CE
Ultrasonic technology cold mist			\checkmark	\checkmark	\checkmark
Chromoterapy		\checkmark	\checkmark	\checkmark	-
Electromechanical controls		-	\checkmark	-	-
Digital control		\checkmark	\checkmark	\checkmark	\checkmark
Display		-	-	\checkmark	\checkmark
Indoor humidity visualizer		-	-	\checkmark	\checkmark
Tank empty signal			\checkmark	\checkmark	\checkmark
Humidifing + heating function		-	-	\checkmark	\checkmark
Warm steam function		-	-	\checkmark	√
Setting steam level		-	\checkmark	\checkmark	\checkmark
Night light		\checkmark	\checkmark	\checkmark	\checkmark
Adjustable steam nozzle		-	\checkmark	\checkmark	\checkmark
Plasma		-	-	\checkmark	-
Remote control		-	\checkmark	-	\checkmark
Timer		\checkmark		\checkmark	√
Automatic re-start function on return of mains voltage		-	-	\checkmark	-
Integrated wi-fi		-	-	\checkmark	-





PURIFIER AND AROMA DIFFUSER Solutions for all-round well-being

AURA ABSOLUTE

The smart purifier with HEPA 14 filter







HEPA 14 FILTER

In addition to the pre-filter and activated carbon filter, it is equipped with a HEPA 14 filter with an efficiency of 99.99% on particles up to 0.3 microns

UV-C LAMP AND IONIZER To sterilise the air, destroying micro-organisms with UV-C rays and freeing it of polluting particles through the action of negative ions



AUTOMATIC ADJUSTMENT

Analyses the air quality in real time, self-adjusts for efficient purification and reports the data through the 4-colour light indicator



WI-FI AND VOICE CONTROL

Thanks to the integrated Wi-Fi and compatibility with the most common voice controllers, it can be managed with either voice commands or using the dedicated app.





FEATURES

3 filtering stages (washable pre-filter/activated carbon filter/HEPA 14 filter) Germicidal UV lamp Ionizer Filter duration up to 4320h Touchscreen display Particulate concentration digital indicator 4-colour air quality sensor Fan: low/medium/high/turbo Sleep/auto function 1-12h timer Handle Child lock CADR: 423 m³/h



Technical specifications purifiers

	OLIMPIA
U	SPLENDID

AURA ABSOLUTE

22
.
-
L
ж.
_
2
~
-

PRODUCT CODE		99278
EAN CODE		8021183992786
Absorbed power	W	70
Degree of protection		IP20
Insulation class		II
Fan speed	nr	4
Sound pressure level (1)	dB(A) min-max	27 / 54
Dimensions (WxHxD)	mm	445 x 680 x 238
Gift box dimensions (WxHxD)	mm	510 x 752 x 310
Weight (without packaging)	kg	9,6
Weight (with packaging)	kg	12,5
For rooms up to	m²	50
CADR Clean air delivery rate	m³/h	423
Ozone production	ppm	< 0,05
Power supply	V-F-Hz	220/240-1-50/60
Conformity mark		CE
Digital control		\checkmark
Air quality indicator led		\checkmark
Air quality indicator display		\checkmark
Filter cleaning/replacing signal		\checkmark
Child Lock function		\checkmark
Sleep function		\checkmark
Turbo Function		√
Auto function		√
Timer		√
Handle		\checkmark
lonizer		√
UV lamp		√
Antidust pre-filter		√
HEPA filter		√
HEPA filter type		HEPA14
Carbon filter		√
Integrated wi-fi & voice control		\checkmark

ASTOMI SOUND

Aroma diffuser with bluetooth speaker sound









SPEAKER SOUND BLUETOOTH

Allows you to listen to your favourite music thanks to the speakers and bluetooth connection



2 FUNCTIONS IN 1

In addition to diffusing fragrances, it humidifies the environment thanks to cold mist ultrasonic technology



CHROMOTHERAPY

Coloured courtesy light, fixed or variable, for an allenveloping sensation of well-being



ENHANCED SAFETY

Thanks to the automatic shut off when the tank is empty

FEATURES

Tank capacity 400 ml Changing LED light for chromotherapy Bluetooth speakers for mobile devices 2 emission settings: intense/light Humidification function 60 ml/h emission 11 h continuous operation Automatic switch-off with empty tank



Scent diffuser technical data

	OLIMPIA
V	SPLENDID

		ASTOMI SOUND
PRODUCT CODE		99408
EAN CODE		8021183994087
Humidification capacity (cold steam)	ml/h	45
Humidificable Area	mq	20
Power absorption (cold steam)	W	18
Degree of protection		IP XO
Insulation class		
Fan speed	nr]
Tank capacity	ml	400
Master box quantity		12
Dimensions (WxHxD)	mm	156 x 145 x 156
Gift box dimensions (WxHxD)	mm	165 X 215 x 165
Master Box dimensions (W x H x D)	mm	515 x 450 x 345
Weight (without packaging)	kg	0,70
Weight (with packaging)	kg	0,90
Master box weight	kg	12
Power supplier		external
Power supply	V-F-Hz	100-240 - 1 - 50/60
Conformity mark		CE
Ultrasonic technology cold mist		\checkmark
Electromechanical controls		\checkmark
Digital control		•
Display		•
Indoor humidity visualizer		•
Tank empty signal		\checkmark
Warm steam function		•
Night light		\checkmark
Adjustable steam nozzle		\checkmark
lonizer		-
Remote control		· ·
Automatic re-start function on return of mains voltage		-
Timer		\checkmark
Bluetooth		\checkmark





Olimpia Splendid S.p.A.

Italy, Cellatica (BS) | Headquarter Italy, Gualtieri (RE) | Logistic Hub France, Paris | Sales Subsidiary Spain, Madrid | Sales Subsidiary USA, New York | Sales Subsidiary Australia, Melbourne | Sales Subsidiary China, Shanghai | Trading Subsidiary



and other documents relating to catalogue references in the new download area of the **Olimpiasplendid.com** website.



Member of:







Certified company:



